

**Agenda of 211th Meeting of State Level Expert Appraisal Committee-1
(SEAC-1)**

Date: 08th, 09th & 10th December, 2021.

Time: 10:00 AM Onwards

Venue: Meeting through Video conferencing.

Important Notice

1. All Project Proponent's and Consultants are requested to send Mobile Number, Name and email id's of two representatives of PP and two representatives of Consultants to book for Video Conferencing and sending required information.
2. The above information shall be sent on chandrakant.vibhute@nic.in by **06th December, 2021**.
3. PP to ensure to deposit scrutiny fees as per important notice published on 10th November, 2020 by SEIAA on ec.ecmpcb.in website & includes details in the presentation of the project.
4. PP shall send hard copies of presentation, Form I/II, EMP & other relevant documents as well as documents mentioned in **Annexure -A** for sand ghat, Sugar Industry, Stone Quarry & Other Industry proposals along with **Annexure –B i.e.** Brief Information of Sand Ghat proposals & **Annexure –C i.e.** Brief Information of Sugar Industry, Stone Quarry & Other Industry proposals to Chairman & Expert Members of Committee by e-mail on mail I'ds & Hard copy (through Courier/Post) as mentioned below. **PP and Consultant ensure that documents will reach before 06th December, 2021.**
5. PP & Consultants are requested to send Hard Copies of EIA to all expert members & ensure that same should be reached before **6th December, 2021**.

Sr. No.	Name	Designation	Email I'd	Submission Required
1	Dr. Vijay Kulkarni	Chairman	vijay.kulkarni1@gmail.com	Soft Copy
2	Mrs.Kavita Takale	Member	kavitatakale@yahoo.co.in	Soft Copy
3	Mr.Kundan Deshmukh	Member	md@pbnagro.com	Soft Copy
4	Shri. Chandrashekhar Marathe	Member	ccmarathe@gmail.com	Soft Copy
5	Shri. Jeevan Patgaonkar	Member	jeevanpatgaonkar@gmail.com	Soft & Hard Copy
6.	Shri. Abhay Pimparkar	Member Secretary	abhay.pimparkar@nic.in	Soft Copy& Hard Copy

6. Details of link for Video Conferencing will be communicated shortly.

NOTE

For speedy disposal of proposals, all Project Proponents & Consultants are hereby informed that the SEAC-1 decided to consider PPs absenteeism for single time only that to on medical ground. If PP remains absent for second time for any reason, the proposal will be out rightly rejected.

Annexure – A

Following documents must be submitted by email/ Hard copy to committee member as mentioned above –

A) For Sand Ghat Proposals:

1. Excel Sheet forwarded to all District & Annexure 'B' Attached.
2. Presentation of Point wise Compliance of Sand Mining Guidelines issued by MoEF & CC
3. KML file of Sand ghat.
4. Individual ghat wise PPT presentation.
5. Approved District Survey Report along with certificate of District Collector that DSR is prepared as per various guidelines issued by MOEF&CC.
6. Details of suggestion / objection received on District Survey Report along with Action Taken details.
7. Point wise Compliance of issues raised during Public Consultation along with time bound program for its implementation & financial provision in EMP.
8. Prefeasibility Report (including sand availability calculations, supply demand ratio, replenishment etc.)
9. Sand ghat wise approved mining plan with closure plan.
10. Sand ghat wise Environmental Management Plan for all Environmental Parameters.
11. Sand Ghat Site specific enforcement & monitoring plan as per guidelines stipulated in the Enforcement and Monitoring Guidelines for sand mining issued by MoEF&CC in January 2020.
12. Compliance of earlier Environmental Clearance (if applicable).
13. Information about any specific order passed by any Hon'ble court.

B) For Sugar Industry Project :

- 1) PDF copy of presentation.
- 2) Form I/II, Pre -Feasibility Report.
- 3) KML file of project location
- 4) Executive Summary of Project.
- 5) Zero Liquid Discharge (ZLD) undertaking.
- 6) EMP along with bifurcation of expenditure for all environmental parameters.
- 7) Lay out plan to the scale showing internal roads with minimum six meter width and nine meter turning radius, separate entry/exit gates ,provision of cul-de-sac at dead ends of the internal roads if any, location of pollution control equipment, parking areas (with type of vehicles), 33% green belt preferably on periphery of the plot with their dimensions, raw material and finished product storage areas, rain water harvesting structures (locations with dimensions), storm water drain lines, along with index and area statement showing calculations for each area and cross sections of storm water drain and rain water harvesting pits etc.
- 8) Layout plan to scale showing contour levels, storm water drain lines and location of rain water harvesting facilities along with calculations. PP to consider 125 mm rain intensity in Mumbai / Konkan area and 100 mm in rest of the Maharashtra area for the purpose of calculations
- 9) Detailed ETP design including RO reject management calculations along with flow chart and capacities of individual units. Details of O &M budget for ETP.
- 10) Details of Chemical Compatibility Chart for all chemicals and finished products handled, stored on site.
- 11) Details of Fire mitigation measures proposed on site with Disaster Management Plan/ On-Site Emergency Response Plan.
- 12) Plan for using renewable energy for illumination of office buildings, street lights, parking areas.
- 13) Solid Waste Management Plan (Use/Reuse & Disposal of ETP sludge, Yeast sludge)
- 14) Detail plan for disposal of CO₂ & Methane generated.

C) Industry Project :

- 1) PDF copy of presentation.
- 2) Form I/II, Pre -Feasibility Report.
- 3) KML file of project location.
- 4) Executive Summary of Project.
- 5) CETP permission.
- 6) EMP.
- 7) Lay out plan to the scale showing internal roads with minimum six meter width and nine meter turning radius, separate entry/exit gates ,provision of cul-de-sac at dead ends of the internal roads if any, location of pollution control equipment, parking areas (with type of vehicles), 33% green belt preferably on periphery of the plot with their dimensions, raw material and finished product storage areas, rain water harvesting structures (locations with dimensions), storm water drain lines, along with index and area statement showing calculations for each area and cross sections of storm water drain and rain water harvesting pits etc.
- 8) Layout plan to scale showing contour levels, storm water drain lines and location of rain water harvesting facilities along with calculations. PP to consider 125 mm rain intensity in Mumbai / Konkan area and 100 mm in rest of the Maharashtra area for the purpose of calculations
- 9) Detailed ETP design including RO reject management calculations along with flow chart and capacities of individual units. Details of O &M budget for ETP.
- 10) For API proposals detailed Chemical Compatibility Chart for all chemicals and finished products handled, stored on site.
- 11) Details of Fire mitigation measures proposed on site with Disaster Management Plan/ On-Site Emergency Response Plan.
- 12) Plan for using renewable energy for illumination of office buildings, street lights, parking areas.

Annexure -B

Brief Information of Sand Ghat.

Sr. No.	Description	Detail of sand ghat
PARIVESH UID NUMBER OF SAND GHAT		
1	Name and address of proposed sand ghat	
2	Details of all corner Latitude/Longitude of the sand ghat	
3	Name of river Bed	
4	Total Area of sand ghat in Ha	
5	Area of sand gaht (Length x Width x Depth) and Quantity of sand available in the ghat in Brass as approved in the Mining Plan	
6	Life of Sand Ghat (In Years)	
7	Details of cluster formation in the periphery of 500 meter radius of the proposed sand ghat	
8	Whether earlier Environmental Clearance is granted to the sand ghat (Yes/No) If yes, Pl. provide EC No. & Date. (Submit copy of certified compliance of earlier EC obtained from the Regional Office of MoEF&CC, Nagpur)	
9	Whether District Survey Report (DSR) is prepared as per various guidelines issued by MoEF&CC in 2016 and 2020 etc. (Yes/No)	
10	Date of District Survey Report published on the District Web Site.	
11	Details of suggestion/objection received on the DSR and action taken report on the same. (pl. attach report if necessary)	

12	Date of Public Hearing conducted for the sand ghat.(Pl. attached Public Hearing report along with proposed action plan to comply and implement the issues raised during Public Hearing)	
13	Amount of funds reserved for the compliance of issues raised in the Public Hearing (In Rs. Lakhs)	
14	Details of approach road (Length & Width in meters from sand ghat to the sand storage depot or main road)	
15	Details of Green Belt Development (Pl. mention No. of trees)	Along the both sides of the approach road:
		Along the river bank:
16	Details of Environmental Management Plan	Capital Investment (Rs. Lakhs)
		Recurring Investment (Rs.Lakhs)
17	Details of any sensitive structure in the periphery of 1 KM from the proposed sand ghat	

(Sd/-)

District Mining Officer,

....., District.

Annexure -C (For Stone Quarry/Sugar & Other Industry)

Sr.No.	Particulars Required	Details
1	Name of the project & Address along with all corner latitude and longitude	
2	Type of Organization (Private /Government/Semi Government etc.)	
3	Correspondence Address and contact details of Project Proponent	
4	Type of project (ToR/EC/Amendment in ToR/Amendment in EC/ Revalidation/ Expansion/Process change etc.)	
5	Category of project as per EIA Notificaiton 2006 amended from time to time (Pl. mention category A,B,B1,B2 etc. whichever is applicable)	
6	If earlier ToR is obtained pl. mention details (ToR letter No. & Date, SEAC/EAC Meeting No.)	
7	If earlier EC is obtained pl. mention EC Number &Date	
8	Whether the proposal is a violation case (yes/no)	
9	Applicability of CRZ clearance (yes /no)	
10	Whether General /Specific Conditions are applicableno to the project (Yes/No) If yes pl. give details	
11	Whether Scrutiny fees paid as per SEIAA guidelines (Yes/No); If yes pl give payment details	
12	Name of accredited Environmental Consultant & address along with Accreditation No. & Validity	
13	Name of layout plan approving Authority	

[illegible]

22	<p>Water Consumption & Effluent generation (All units in CMD)</p> <p>i)Source & Qty of water requirement (in CMD) :</p> <p>ii) Water supply permission obtained (Yes/No) & approving Authority :</p> <table border="1"> <thead> <tr> <th rowspan="2">Particulars</th><th colspan="3">Consumption (CMD)</th><th colspan="3">Loss (CMD)</th><th colspan="3">Effluent generation (CMD)</th></tr> <tr> <th>Existing</th><th>Proposed</th><th>Total</th><th>Existing</th><th>Proposed</th><th>Total</th><th>Existing</th><th>Proposed</th><th>Total</th></tr> </thead> <tbody> <tr> <td>Industrial Process</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Industrial cooling</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Boiler</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Domestic Purpose</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Green Belt</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>other (specify if any)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Total</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>										Particulars	Consumption (CMD)			Loss (CMD)			Effluent generation (CMD)			Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	Industrial Process										Industrial cooling										Boiler										Domestic Purpose										Green Belt										other (specify if any)										Total									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent generation (CMD)																																																																																												
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total																																																																																										
Industrial Process																																																																																																			
Industrial cooling																																																																																																			
Boiler																																																																																																			
Domestic Purpose																																																																																																			
Green Belt																																																																																																			
other (specify if any)																																																																																																			
Total																																																																																																			
23	Quantity of sewage generation (in CMD)																																																																																																		
24	Details of Sewage Treatment and Disposal of treated sewage:																																																																																																		
25	<p>Detail of Effluent Generation (unit CMD)</p> <table border="1"> <thead> <tr> <th>Particulars</th><th>Existing</th><th>Proposed</th><th>Total</th></tr> </thead> <tbody> <tr> <td>a)Qty. of Effluent generation: (CMD)</td><td></td><td></td><td></td></tr> <tr> <td>b)Qty. of high TDS/COD effluent: (CMD)</td><td></td><td></td><td></td></tr> <tr> <td>c)Qty. of low TDS/COD effluent: (CMD)</td><td></td><td></td><td></td></tr> </tbody> </table>										Particulars	Existing	Proposed	Total	a)Qty. of Effluent generation: (CMD)				b)Qty. of high TDS/COD effluent: (CMD)				c)Qty. of low TDS/COD effluent: (CMD)																																																																												
Particulars	Existing	Proposed	Total																																																																																																
a)Qty. of Effluent generation: (CMD)																																																																																																			
b)Qty. of high TDS/COD effluent: (CMD)																																																																																																			
c)Qty. of low TDS/COD effluent: (CMD)																																																																																																			
26	Whether Zero liquid Discharge Effluent Treatment is proposed (Yes/No)																																																																																																		
27	Brief Description of Effluent Treatment scheme																																																																																																		
28	Qty of treated effluent proposed to be sent to CETP (pl. mention Name of CETP and its membership Details)																																																																																																		

29	Please mention parameters of treated effluent to be achieved as per EP Rule,1986 and or stipulated by the SPCB																							
	Parameter					Inlet concentration (Mg/L)				Outlet concentration (mg/L)														
	PH																							
	TSS																							
	TDS																							
	CoD																							
	BoD																							
	Heavy metals																							
	Benzene																							
other if any																								
30	Brief Note on proposed Rainwater harvesting scheme along with budget allocation:																							
31	Solid Waste management																							
	Sr.No.		Type of waste		Qty MT/M		Source of Generation		Disposal methods		Pl. mention plan to reduce solid waste generation if any													
32	Hazardous Waste Generation & Disposal (As per HW Rule 2016)																							
	Sr.No.		Category		Particulars		Source of Generation (please include Name of Product)		Existing Qty of generation MT/M		proposed Qty & generation MT/M		Total Qty & generation MT/M		Method & Disposal as per HW Rules 2016									
33	Fuel Consumption																							
	Sr.No.		Type of Fuel		Consumption Qty (TPD)			Used for (Boiler/ DG Set etc)		Ash%			So2%			Air pollution control /equipment provided (Yes/No)								
					Existi ng			Propo sal			Tot al			Existi ng			Propos ed			Tot al				

34	Brief Note on Air Pollution Control equipment's																																																																										
35	Stack Details (Also include process vent details) <table border="1"> <tr> <th>Sr. No.</th><th>Section /Unit</th><th>Source pollutions</th><th>Stack No.</th><th>Stack height</th><th>Height form ground</th><th>Internal Diameter (inch)</th><th>Temperature of exhaust gas</th></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>			Sr. No.	Section /Unit	Source pollutions	Stack No.	Stack height	Height form ground	Internal Diameter (inch)	Temperature of exhaust gas																																																																
Sr. No.	Section /Unit	Source pollutions	Stack No.	Stack height	Height form ground	Internal Diameter (inch)	Temperature of exhaust gas																																																																				
36	Energy a)Source of power Supply : b)Maximum Demand (KVA) : c)whether DG sets will be provided (Yes/No): if yes : <table border="1"> <tr> <th>Sr. No.</th><th colspan="2">No. of DG Sets</th><th>Capacity</th></tr> <tr> <td></td><th>Existing</th><th>Proposed</th><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>			Sr. No.	No. of DG Sets		Capacity		Existing	Proposed																																																																	
Sr. No.	No. of DG Sets		Capacity																																																																								
	Existing	Proposed																																																																									
	d) Please Mention if high tension line is passing through the plot : Yes /No If yes, pl. give details of safety measures adopted:																																																																										
37	Details of use of renewable energy with budget allocation i) Total Energy Demand----- KVA ii) Proposed renewable energy source capacity----- KVA iii) Proposed Budget (in Rs. Lakhs): iv) Timeline for implementation:																																																																										

38	<p>Details of public hearing (if applicable)</p> <p>i) Place of public hearing :</p> <p>ii) Date of public hearing:</p> <p>Please fill following details</p> <table border="1"> <thead> <tr> <th>Sr. No.</th><th>Issue raised during public hearing</th><th>Applicant plan for its compliance/ implementation</th><th>Budget allocation for implementation</th><th>Specific time line of compliance</th></tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Sr. No.	Issue raised during public hearing	Applicant plan for its compliance/ implementation	Budget allocation for implementation	Specific time line of compliance																																																																																		
Sr. No.	Issue raised during public hearing	Applicant plan for its compliance/ implementation	Budget allocation for implementation	Specific time line of compliance																																																																																				
39	<p>EMP (Please mention specific items proposed in EMP along with specific timeline for its implementation)</p> <p>Construction Phase</p> <table border="1"> <thead> <tr> <th>Sr.No.</th><th>Attribute</th><th>Specific measure</th><th>Budget in (Rs lakh)</th><th>Remark</th></tr> </thead> <tbody> <tr><td>1</td><td>Air</td><td> </td><td> </td><td> </td></tr> <tr><td>2</td><td>Water</td><td> </td><td> </td><td> </td></tr> <tr><td>3</td><td>Noise</td><td> </td><td> </td><td> </td></tr> <tr><td>4</td><td>Soil</td><td> </td><td> </td><td> </td></tr> <tr><td>5</td><td>Solid waste</td><td> </td><td> </td><td> </td></tr> <tr><td>6</td><td>Hazardous waste</td><td> </td><td> </td><td> </td></tr> <tr><td>7</td><td>Fuel & Energy</td><td> </td><td> </td><td> </td></tr> <tr><td>8</td><td>Safety & health</td><td> </td><td> </td><td> </td></tr> </tbody> </table> <p>Operation Phase</p> <table border="1"> <thead> <tr> <th>Sr. No.</th><th>Attributes</th><th>Specific measures</th><th>Budget in Rs. lakh</th><th>Time line for 1/5 implement</th><th>Responsibility</th><th>Remarks</th></tr> </thead> <tbody> <tr> <td>above 1 to 8 Colum</td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td>9</td><td>Rain water harvesting</td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td>10</td><td>implementation of recommendation of LCA</td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td>11</td><td>Implementation recommendation HA20P/Risk Assessment</td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td>12</td><td>Any other please specify</td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Sr.No.	Attribute	Specific measure	Budget in (Rs lakh)	Remark	1	Air				2	Water				3	Noise				4	Soil				5	Solid waste				6	Hazardous waste				7	Fuel & Energy				8	Safety & health				Sr. No.	Attributes	Specific measures	Budget in Rs. lakh	Time line for 1/5 implement	Responsibility	Remarks	above 1 to 8 Colum							9	Rain water harvesting						10	implementation of recommendation of LCA						11	Implementation recommendation HA20P/Risk Assessment						12	Any other please specify					
Sr.No.	Attribute	Specific measure	Budget in (Rs lakh)	Remark																																																																																				
1	Air																																																																																							
2	Water																																																																																							
3	Noise																																																																																							
4	Soil																																																																																							
5	Solid waste																																																																																							
6	Hazardous waste																																																																																							
7	Fuel & Energy																																																																																							
8	Safety & health																																																																																							
Sr. No.	Attributes	Specific measures	Budget in Rs. lakh	Time line for 1/5 implement	Responsibility	Remarks																																																																																		
above 1 to 8 Colum																																																																																								
9	Rain water harvesting																																																																																							
10	implementation of recommendation of LCA																																																																																							
11	Implementation recommendation HA20P/Risk Assessment																																																																																							
12	Any other please specify																																																																																							

40	Other Relevant Information : (Pl. provide brief note on proposed project)	
41	Details of skill development program within Organization	
42	Details of environmental Monitoring Cell (Pl. provide organogram with educated Qualification and experience)	
43	Details of court cases if pending in any Hon'ble court	

Signature of Project Proponent

AGENDA

Sr. No.	Name of Proposal	SEIAA Statement No.	Category	Date	Time
1	Environment Clearance for Bauxite Mining Project over an area of 7.12 Ha in Gat No. 223(Part) of Parli Reserved Forest and 0.42 Ha for road area in village Parli, Taluka Shahuwadi, Dist.Kolhapur by M/s Shree Malhar Minerals.	68784	ToR	08/12/2021	10:00 AM-10:30 AM
2	Environment Clearance for proposed Establishment of 45 KLPD Molasses based/ Juice to Ethanol based Distillery in existing sugar unit at Gat No. 44,45, 46, Village Kusumnagar, Waghawada, Taluka. -Umri, Dist. - Nanded by MVK Agro Foods Product Ltd.	68786	ToR		10:35 AM-11:05 AM
3	Sand Ghat Proposals of Ahmednagar District by District Mining Officer, Ahmednagar.	12 Nos.	New		11:10 AM-1:30 PM
LUNCH BREAK					1:35 PM-2:25 PM
4	Sand Ghat Proposals of Jalana District by District Mining Officer, Jalana.	24 Nos.	New		2:30 PM-5:30 PM
5	Environmental Clearance for proposed Integrated Paints manufacturing facility at plot no. A-1, MIDC-Mahad, Village Kamble Tarfe Birwadi, Taluka Mahad & District Raigad by M/s. Grasim Industries Limited.	68936	ToR	09/12/2021	10:00 AM-10:30 AM
6	Environmental Clearance for establishment of 80 KLPD Distillery Unit to Produce 80 KLPD Rectified Spirit/Extra Neutral Alcohol/Fuel Ethanol Based on Sugarcane Syrup/ “C” Molasses/“B” Heavy Molasses as Raw Material, at Warphal, Taluka Partur, District Jalna by Shraddha Energy & Infra-projects Pvt. Ltd. (SEIPL).	69099	ToR		10:35 AM-11:05 AM
7	Sand Ghat Proposals of Nashik District by District Mining Officer, Nashik.	05 Nos.	New		11:10 AM-1:30 PM
LUNCH BREAK					1:35 PM-2:25 PM

8	Sand Ghat Proposals of Akola District by District Mining Officer, Akola.	30 Nos.	New		2:30 PM-5:30 PM
9	Application for amendment in earlier received ToR letterNo.SIA/MH/IND3/61940/2021, Dated: 23/03/2021 for expansion of existing production capacity of at plot no A 22/2/1 & adjacent new plot, MIDC Industrial Area MIDC Mahad, District Raigad by Yellowstone Chemicals Pvt. Ltd.	236627	Amendment in ToR	10/12/2021	10:00 AM-10:30 AM
10	Sand Ghat Proposals of Satara District by District Mining Officer, Satara.	11 Nos.	New		10:35 AM-1:30 PM
LUNCH BREAK					1:35 PM-2:25 PM
11	Sand Ghat Proposals of Yavatmal District by District Mining Officer, Yavatmal.	34 Nos.	New		2:30 PM-5:30 PM
